

## 括弧付コーパスを利用した文法獲得手法

ティラマヌコン・タナラック, 奥村 学

e-mail: {ping,oku}@jaist.ac.jp

北陸先端科学技術大学院大学 情報科学研究科

### 【概要】

本論文は括弧付きコーパスから文脈自由文法を自動的に獲得する第一段階として局所文脈情報を利用し、コーパス内の括弧をグルーピングする手法を提案する。括弧付きコーパスを利用した文法獲得の枠組では、学習タスクはコーパス内の各括弧に非終端記号ラベルを決定することに相当する。コーパス内の類似している括弧をグルーピングし、得られた各グループの括弧に同じ非終端記号ラベルをつけることによって実現できる。本論文では、任意の2つの括弧の類似性の尺度として「分布解析 (distributional analysis)」および「階層ベシアンクラスタリング (hierarchical Bayesian clustering)」を用いた。また、エントロピーという情報理論の概念に基づき、適切なグループの数の決定方法を提案する。最後に、本手法を用いて得られた非終端記号のグループを被験者から得られた模範回答と比較し、本手法の有用性を示す。

【キーワード】 文法獲得, 分布解析, 階層ベシアンクラスタリング, 局所文脈情報

## Learning a Grammar from a Bracketed Corpus

THEERAMUNKONG Thanaruk, OKUMURA Manabu

School of Information Science, Japan Advanced Institute of Science and Technology  
(Tatsunokuchi Ishikawa 923-12 Japan)

### Abstract

In this paper, we propose a method to group brackets in a bracketed corpus (with lexical tags), according to their local contextual information, as a first step towards the automatic acquisition of a context-free grammar. Using a bracketed corpus, the learning task is reduced to the problem of how to determine the nonterminal label of each bracket in the corpus. In a grouping process, a single nonterminal label is assigned to each group of brackets which are similar. Two techniques, *distributional analysis* and *hierarchical Bayesian clustering*, are applied to exploit local contextual information for computing similarity between two brackets. We also show a technique developed for determining the appropriate number of bracket groups based on the concept of entropy analysis. Finally, we present a set of experimental results and evaluate the obtained results with a model solution given by humans.

**Key Words** grammar acquisition, distribution analysis, hierarchical Bayesian clustering, local contextual information

# 1 Introduction

In natural language processing, a grammar is very useful information for recognizing and generating a language. So far several attempts have been made to construct a good grammar for processing a language. However, designing and refining a natural language grammar by hand is a difficult and time-consuming task and usually it requires a large amount of skilled effort. Automatic acquisition of grammars is a solution to this problem. Recently, there have been numerous attempts to automatically acquire a CFG grammar through the application of enormous existing corpora. As a most interesting approach, Lari and Young[5] proposed so-called *inside-outside* algorithm, which constructs a grammar from an unbracketed corpus based on Maximum Likelihood approach. This method requires a grammar to be in Chomsky normal form and takes a large amount of computation. Kiyono[4] combined symbolic and statistical approaches to refine an original grammar by adding some rules extracted from a partially bracketed corpus. As a recent work of grammar acquisition from an unbracketed grammar, Mori[6] proposed a statistical method which applied the entropy of the probability distributions of the Part-of-Speech(POS) before and after a POS sequence, to extract potential constituent-like POS sequences. Then a context free grammar is constructed by the utilization of these constituent-like POS sequences and their probability distributions. However, to obtain a suitable grammar from an unbracketed corpus is difficult, costly and hard to evaluate results of these approaches. As the increase of the construction of bracketed corpora, an attempt to use a bracketed (tagged) corpus for grammar inference was made by Shirai[7]. Shirai constructed a Japanese grammar based on some simple rules to give a name (a label) to each bracket in the corpus. To reduce the grammar size and ambiguity, some hand-encoded knowledge is applied in this approach.

In our work, like Shirai's approach, we make use of a bracketed corpus with lexical tags, but instead of using a set of human-encoded predefined rules to give a name (a label) to each bracket, we introduce some statistical techniques to acquire such label automatically. Using a bracketed corpus, the grammar learning task is reduced to the problem of how to determine the nonterminal label of each bracket in the corpus. We propose a method to group brackets in a bracketed corpus (with lexical tags) and as-

sign each group with a single nonterminal label, as a first step towards the automatic acquisition of a context-free grammar. In grouping process, we apply and compare two types of techniques. We also propose a method to determine the appropriate number of bracket groups based on the concept of entropy analysis. Finally, we present a set of experimental results and evaluate our methods with a model solution given by humans.

# 2 Grammar Acquisition with a Bracketed Corpus

In this section, we give a brief explanation of grammar acquisition using a bracketed corpus. In this work, the grammar acquisition utilizes a lexical-tagged corpus with bracketings. An example of the parse structures of two sentences in the corpus is shown graphically in Figure 1.

**Sentence (1) :** A big man slipped on the ice.  
**Parse Tree (1) :** (((ART,"a")((ADJ,"big")(NOUN,"man")))((VI,"slipped")((PREP,"on")((ART,"the")(NOUN,"ice")))))

**Sentence (2) :** The boy dropped his wallet somewhere.  
**Parse Tree (2) :** (((ART,"the")(NOUN,"boy"))(((VT,"dropped")((PRON,"his")(NOUN,"wallet")))(ADV,"somewhere")))




Figure 1: The graphical representation of the parse structures of a *big man slipped on the ice* and *the boy dropped his wallet somewhere*

In the parse structures, each terminal category (a leaf node) is given a name (tag) while there is no label for each nonterminal category (an intermediate node). With this corpus, the grammar learning task corresponds to a process to determine the non-terminal label of each bracket in the corpus. More precisely, this task is concerned with the way to classify the brackets into some certain groups and give

each group a label. For instance, in Figure 1, it is reasonable to classify the brackets<sup>1</sup> (c2),(c4) and (c5) into a same group and give them a same label (e.g., NP(noun phrase)). As the result, we obtain three grammar rules:  $NP \rightarrow (ART)(NOUN)$ ,  $NP \rightarrow (PRON)(NOUN)$  and  $NP \rightarrow (ART)(c1)$ . To perform this task, our grammar acquisition algorithm operates in five stages as follows.

1. Assign a unique label to each node of which lower nodes are assigned labels. At the initial step, such node is one whose lower nodes are lexical categories<sup>2</sup>. This process is performed throughout all parse trees in the corpus.
2. Calculate the similarity of every pair of the derived labels.
3. Merge the most similar pair to a single new label(i.e., a label group) and recalculate the similarity of this new label with other labels.
4. Repeat (3) until a termination condition is detected. As the result of this step, a certain set of label groups is derived.
5. Replace labels in each label group with a new label in the corpus. For example, if (ART)(NOUN) and (PRON)(NOUN) are in the same label group, we replace them with a new label (such as NP) in the whole corpus.
6. Repeat (1)-(5) until all brackets(nodes) in the corpus are assigned labels.

In this paper, we focus on step (1)-(4), that is how to group nodes of which lower nodes are lexical categories. Figure 2 depicts an example of the grouping process. To compute the similarity of a pair




Figure 2: An example of the bracket grouping process

<sup>1</sup>A bracket corresponds to a node in Figure 1.

<sup>2</sup>In Figure 1, there are three unique labels derived:  $c_1 \rightarrow (ADJ)(NOUN)$ ,  $c_2 \rightarrow (ART)(NOUN)$  and  $c_5 \rightarrow (PRON)(NOUN)$ .

of labels(in step 2), we propose two types of techniques called *distributional analysis* and *hierarchical Bayesian clustering* as shown in section 3. In section 4, we introduce the concept of *differential entropy* for the termination condition used in step (4).

### 3 Local Contextual Information as Similarity Measure

In this section, we describe two techniques which utilize “local context information” to calculate similarity between two labels. The term “local contextual information” considered here is represented by a pair of words immediately before and after a label. In the rest of this section, we first describe *distributional analysis* in subsection 3.1. Next, we give the concept of *Bayesian clustering* in subsection 3.2.

#### 3.1 Distributional Analysis

Distributional analysis is a statistical method originally proposed by Harris[2] to uncover regularities in the distributional relations among the features of speech. Applications of this technique are varied[1]. We apply this technique to group similar brackets in a bracketed corpus. The detail of this technique is illustrated below.

Let  $P_1$  and  $P_2$  be two probability distributions over environments. The relative entropy between  $P_1$  and  $P_2$  is:

$$D(P_1||P_2) = \sum_{e \in \text{Environments}} P_1(e) \times \log \frac{P_1(e)}{P_2(e)}$$

Relative entropy  $D(P_1||P_2)$  is a measure of the amount of extra information beyond  $P_2$  needed to describe  $P_1$ . The *divergence* between  $P_1$  and  $P_2$  is defined as  $D(P_1||P_2) + D(P_2||P_1)$ , and is a measure of how difficult it is to distinguish between the two distributions. The environment is a pair of words immediately before and after a label(bracket). A pair of labels is considered to be identical when they are distributionally similar, i.e., the divergence of their probability distributions over environments is low.

The probability distribution can be simply calculated by counting the occurrence of ( $c_i$ ) and ( $word_1 c_i word_2$ ). For the example in Figure 1, the numbers of appearances of ( $c_1$ ), ( $c_2$ ), ( $c_5$ ), ( $ART c_1 VI$ ), ( $PREP c_2 NULL$ ) and ( $VT c_5 ADV$ ) are collected from the whole corpus. *NULL* stands for a blank tag representing the beginning or ending mark of a sentence.

### Sparse Data Considerations

Utilizing divergence, there is a serious problem caused by the sparseness of existing data or the characteristic of language itself. In the formula of relative entropy, there is a possibility that  $P_2(e)$  becomes zero. In this condition, we cannot calculate the divergence of two probability distributions. To cope with this problem, we extend the original probability to one shown in the following formula.

$$P(a \ c_i \ b) = \lambda \frac{N(a \ c_i \ b)}{N(c_i)} + (1 - \lambda) \frac{1}{Ntags^2}$$

where,  $N(\alpha)$  is the occurrence frequency of  $\alpha$ ,  $Ntags$  is the number of terminal categories and  $\lambda$  is a interpolation coefficient. The first term in the right part of the formula is the original estimated probability. The second term is generally called a uniform distribution, where the probability of an unseen event is estimated to a uniform fixed number.  $\lambda$  is a balancing weight between the observed distribution and the uniform distribution. Intuitively, when the size of data is large, the small number of  $\lambda$  should be used. In the experimental results in this paper, we assigned  $\lambda$  with a value of 0.6 .

### 3.2 Hierarchical Bayesian Clustering Method

As a probabilistic method for automatically classifying some given texts, hierarchical Bayesian clustering was proposed by Iwayama[3]. It was applied to improve the efficiency and the effectiveness of text retrieval/categorization. Referring to this method, we try to make use of *Bayesian posterior probability* as another similarity measure for grouping the similar brackets. We conclude the concept of this measure as follows.

Let's denote a posterior probability with  $P(G|C)$ , where  $C$  is a collection of data (i.e., in Figure 2,  $C = \{c_1, c_2, \dots, c_N\}$ ) and  $G$  is a set of groups (clusters) (i.e.,  $G = \{g_1, g_2, \dots\}$ ). Each group (cluster)  $g_j$  is a set of data and the groups are mutually exclusive. In the initial stage, each group is a singleton set;  $g_i = \{c_i\}$  for all  $i$ . The method tries to select and merge the group pair that brings about the maximum value of the posterior probability<sup>3</sup>  $P(G|C)$ . That is, in each step of merging, this method searches for the most plausible situation that the data in  $C$  are partitioned in the certain groups  $G$ . For instance, at a merge

<sup>3</sup>Maximizing  $P(G|C)$  is a generalization of *Maximum Likelihood estimation*.

step  $k + 1$  ( $0 \leq k \leq N - 1$ ), a data collection  $C$  has been partitioned into a set of groups  $G_k$ . That is each datum  $c$  belongs to a group  $g \in G_k$ . The posterior probability at the merging step  $k + 2$  can be calculated using the posterior probability at the merging step  $k + 1$  as shown below (for more detail, see[3]).

$$P(G_{k+1}|C) = \frac{PC(G_{k+1})}{PC(G_k)} \frac{SC(g_x \cup g_y)}{SC(g_x)SC(g_y)} P(G_k|C)$$

Here  $PC(G_k)$  corresponds to the prior probability that  $N$  random data are classified in to a set of groups  $G_k$ . As for the factor of  $\frac{PC(G_{k+1})}{PC(G_k)}$ , a well known estimate is applied and it is reduced to a constant value  $A^{-1}$  regardless of the merged pair. For a certain merging step,  $P(G_k|C)$  is identical independently of which groups are merged together. Therefore we can use the following measure to select the best group pair to merge. The similarity between two bracket groups (labels),  $g_x$  and  $g_y$ , can be defined by  $SIM(g_x, g_y)$ . Here, the larger  $SIM(g_x, g_y)$  is, the more similar two brackets are.

$$\begin{aligned} SIM(g_x, g_y) &= \frac{SC(g_x \cup g_y)}{SC(g_x)SC(g_y)} \\ SC(g) &= \prod_{c \in g} P(c|g) \\ P(c|g) &= \sum_{e \in \text{Environments}} P(c|g, e)P(e|g) \\ &\approx \sum_e P(c|e)P(e|g) \\ &= P(c) \sum_e \frac{P(e|c)P(e|g)}{P(e)} \end{aligned}$$

where  $SC(g)$  expresses the probability that all the labels in a group  $g$  are produced from the group, an elemental probability  $P(c|g)$  means the probability that a group  $g$  produces its member  $c$  and  $P(e|c)$  denotes a relative frequency of an environment  $e$  of a label  $c$ ,  $P(e|g)$  means a relative frequency of an environment  $e$  of a group  $g$  and  $P(e)$  is a relative frequency of an environment  $e$  of the entire label set. In the calculation of  $SIM(g_x, g_y)$ , we can ignore the value of  $P(c)$  because it occurs  $|g_x \cup g_y|$  times in both denominator and numerator. Normally,  $SIM(g_x, g_y)$  is ranged between 0 and 1 due to the fact that  $P(c|g_x \cup g_y) \leq P(c|g_x)$  when  $c \in g_x$ .

## 4 Differential Entropy as Termination Condition

During iteratively merging the most similar labels, all labels will finally be gathered to a single group. Due to this, it is necessary to provide a criterion for determining whether this merging process should be continued or terminated. In this section, we describe a criterion named *differential entropy* which is a measure of entropy (perplexity) fluctuation before and after merging a pair of labels. Let  $c_1$  and  $c_2$  be the most similar pair of labels based on divergence or Bayesian posterior probability. Also let  $c_3$  be the result label.  $P_{c_1}(e)$ ,  $P_{c_2}(e)$  and  $P_{c_3}(e)$  are probability distributions over environment  $e$  of  $c_1$ ,  $c_2$  and  $c_3$ , respectively.  $P_{c_1}$ ,  $P_{c_2}$  and  $P_{c_3}$  are estimated probabilities of  $c_1$ ,  $c_2$  and  $c_3$ , respectively. The differential entropy ( $\Delta E$ ) is defined as follows.

$$\begin{aligned} \Delta E &= \text{Consequence Entropy} - \text{Previous Entropy} \\ &= -P_{c_3} \times \sum_e P_{c_3}(e) \log P_{c_3}(e) \\ &\quad + P_{c_1} \times \sum_e P_{c_1}(e) \log P_{c_1}(e) \\ &\quad + P_{c_2} \times \sum_e P_{c_2}(e) \log P_{c_2}(e) \end{aligned}$$

where  $\sum_e P_{c_i}(e) \log P_{c_i}(e)$  is the total entropy over various environments of label  $c_i$ . The larger  $\Delta E$  is, the larger the information fluctuation before and after merging becomes. Generally, we prefer a small fluctuation to a larger one. When  $\Delta E$  is large, the current merging process introduces a large amount of information fluctuation and its reliability should be low. From this viewpoint, we apply this measure as a criterion for determining the termination of the merging process.

## 5 Preliminary Experimental Results

In this section, we show some results of our preliminary experiments to confirm effectiveness of the proposed techniques. The corpus we used is constructed by EDR and includes nearly 48,000 bracketed, tagged sentences. As mentioned in the previous sections, we focus on only the rules with lexical categories as their right hand side<sup>4</sup>. For instance,  $c_1 \rightarrow (ADJ)(NOUN)$ ,  $c_2 \rightarrow (ART)(NOUN)$  and

<sup>4</sup>Other types of rules can be acquired in almost the same way and are left now as our further work.

$c_3 \rightarrow (PRON)(NOUN)$  in Figure 1. To evaluate our method, we use the rule tokens which appear more than 500 times in the corpus. Consequently, the number of rules is 35.

From these rules, we calculate the similarity between any two rules (i.e., any two labels) based on divergence and Bayesian posterior probability (BPP). For the divergence measure, the smaller the value is, the more similar the rule pair is. On the other hand, for BPP, the larger the value is, the more similar the pair looks. After calculating all pairs' similarities, we merge the most similar pair (the minimum divergence or the maximum BPP) to a new label and recalculate the similarity of the new label with other remaining labels. The merging process is carried out in an iterative way.

In each iterative step of the merging process, we calculate differential entropy for both cases. The differential entropy of each step equals to the entropy difference between the entropy of two rules before merging and the entropy of a new rule after merging as described in the previous section.

Two graphs in Figure 3 indicate the results of differential entropy ( $\Delta E$  calculated by the formula in section 4) when the merging process advanced with divergence and BPP as its similarity measures. There are some sharp peaks indicating the rapid fluctuation of entropy in the graphs. In this work, we use these peaks as a clue to find the timing we should terminate the merging process. As the result, we halt up the process at the 22nd step and the 27th step for the cases of divergence and BPP, respectively. That is, there are 13 groups for divergence and 8 groups for Bayesian posterior probability. The obtain groups are shown in the appendix.

	The Evaluator's Answer	
	Yes	No
The system says Yes	a	b
The system says No	c	d

Table 1: The number of entry pairs for evaluating accuracy

We also made an experiment to evaluate these results with the solution given by three human evaluators (later called A, B and C) who are non-native but high-educated with more than 20 years of English education. The evaluators were told to construct 7-15 groups from the 35 initial rules, based on the grammatical similarity as they thought. As the result, the




Figure 3: Differential entropy during the merging processes using divergence (upper) and BPP (lower)

evaluators A, B and C classified the rules into 14, 13 and 14 groups, respectively.

To evaluate the system with the model solutions, we applied a contingency table model as one shown in Table 1. This table model is widely used in information retrieval and psychology areas. In the table,  $a$  is the number of the label pairs which an evaluator assigned in the same group and so did the system,  $b$  is the number of the pairs which an evaluator did not assign in the same group but the system did,  $c$  is the number of the pairs which an evaluator assigned but the system did not, and  $d$  is the number of the pairs which both an evaluator and the system did not assign in the same group. We define seven measures, as shown below, for evaluating performance of the proposed methods. This evaluation technique was also applied partly for computing "closeness" between a system's answer and an evaluator's answer in several systems, such as in [3].

- **Positive Recall (PR)** :  $\frac{a}{a+c}$
- **Positive Precision (PP)** :  $\frac{a}{a+b}$
- **Negative Recall (NR)** :  $\frac{d}{b+d}$
- **Negative Precision (NP)** :  $\frac{d}{c+d}$
- **Averaged Recall (AR)** :  $\frac{PR+NR}{2}$

- **Averaged Precision (AP)** :  $\frac{PP+NP}{2}$
- **F-measure (FM)** :  $\frac{(\beta^2+1) \times PP \times PR}{\beta^2 \times PP + PR}$

The F-measure is used as a combined measure of recall and precision, where  $\beta$  is the weight of recall relative to precision. Here, we use  $\beta = 1.0$ , which corresponds to equal weighting of the two measures. The results of divergence and BPP shown in the appendix are compared with three evaluators' solution models and two combined solution models: (1) the answers which all evaluators content, (2) the answers which two of three evaluators content. The detail of the numbers of answers of all cases and the comparison result are given in Table 2 and Table 3, respectively.

Answer	A	B	C	2 of 3	all	DIV	BPP
YES	56	66	54	53	27	73	76
NO	539	529	541	542	499	522	519

Table 2: The detail of the number of answers

	Sim	Measures						
		PR	PP	NR	NP	AR	AP	FM
Eval. A	DIV	0.91	0.70	0.96	0.99	0.93	0.84	0.79
	BPP	0.63	0.48	0.92	0.98	0.77	0.71	0.53
Eval. B	DIV	0.73	0.86	0.95	0.97	0.84	0.81	0.69
	BPP	0.68	0.59	0.94	0.96	0.81	0.78	0.63
Eval. C	DIV	0.89	0.86	0.95	0.99	0.92	0.82	0.76
	BPP	0.80	0.57	0.94	0.98	0.87	0.77	0.66
Avg.	DIV	0.84	0.87	0.95	0.98	0.90	0.82	0.75
	BPP	0.70	0.54	0.93	0.97	0.82	0.75	0.61
All	DIV	0.93	1.00	1.00	1.00	0.97	1.00	0.96
	BPP	0.70	0.54	0.97	0.98	0.84	0.76	0.61
2 of 3	DIV	0.92	0.87	0.96	0.99	0.94	0.83	0.78
	BPP	0.83	0.58	0.94	0.98	0.89	0.78	0.68

Table 3: Evaluation results using three human evaluators' solutions

From these results, we observe some features as follows. The divergence gives a better solution than Bayesian posterior probability does. Normally, the positive measures (PR and PP) have smaller values than the negative ones (NR and NP) do. This means that it is difficult to judge two labels to be in a same group rather than to judge them to be in a separate group. Using divergence as a similarity measure, we get, on average, 84 % positive recall and 67 % positive precision and up to 90 % and 82 % when considering both positive and negative measures. Even for the worst result (Evaluator B), we can get up to 84 % and 81 % for averaged recall and precision. For the comparison with 'all consent', divergence can achieve up to 93% positive recall and 100 % precision. For the case of '2 of 3', it achieves 92 % and 67 %, respectively.

In order to confirm the performance of the system, the evaluators' results are compared with each other. This comparison is useful for investigating the difficulty of the grouping problem. The comparison result is shown in Table 4. At this point, we can observe that the label grouping process is a hard problem that may make an evaluator's solution inconsistent with the others' solutions. However, our proposed method seem to give a reconciliation solution between those solutions. Especially, the method which applies divergence as the similarity measure, has a good performance in grouping brackets in the bracketed corpus.

	Measures						
	PR	PP	NR	NP	AR	AP	FM
A + B	0.47	0.55	0.95	0.94	0.71	0.74	0.51
B + A	0.55	0.47	0.94	0.95	0.74	0.71	0.51
B + C	0.83	0.68	0.96	0.98	0.90	0.83	0.75
C + B	0.68	0.83	0.98	0.96	0.83	0.90	0.75
C + A	0.55	0.57	0.96	0.95	0.76	0.76	0.56
A + C	0.57	0.55	0.95	0.96	0.76	0.76	0.56
Averaged	0.61	0.61	0.96	0.96	0.78	0.78	0.61

Table 4: Comparing the grouping results obtained by the evaluators(A,B,C)

We also make an experiment to evaluate whether divergence is really a better measure than BPP, and whether the application of differential entropy to cut off the merging process is appropriate. This examination can be held by plotting values of recall, precision and F-measure during each step of merging process. Figure 4 shows the fluctuation of positive recall(PR), positive precision(AP), averaged recall(AR), averaged precision and F-measure (FM) in the 'averaged' case. Due to the limit of space, we omit the result of the 'all consent' and '2 of 3' cases but they have the same tendency as the 'averaged' case.

From the graphs, we found out that the maximum value of F-measure is 0.75 in the case of divergence while it is only 0.65 in the case of BPP. That is, divergence provides a better solution than BPP. Moreover, the 22nd and 25th merge steps were the most suitable points to terminate the merging process for divergence and BPP, respectively. This result is consistent with the grouping result of our system (13 groups) in the case of divergence. Although differential entropy leads us to terminate the merging process at the 27th merge step in the case of BPP, we observe that there is just a little difference between the F-measure value of the 25th merge step and that

of the 27th merge step. From this result, we conclude that differential entropy can be used a good measure to predict the cut-off timing of the merging process.




Figure 4: The transition of PR, PP, AR, AP, FM during the merging process using divergence(upper) and BPP(lower) as the similarity measures

## 6 Conclusion

There has been an increase of the construction of many types of corpora, including bracketed corpora. In this work, we attempt to use a bracketed (tagged) corpus for grammar inference. Towards the automatic acquisition of a context-free grammar, we proposed some statistical techniques to group brackets in a bracketed corpus (with lexical tags), according to their local contextual information. Two measures, divergence and Bayesian posterior probability, were introduced to express the similarity between two brackets. Merging the most similar bracket pair iteratively, a set of label groups was constructed. To terminate a merging process at appropriate timing,

we proposed differential entropy as a measure to represent the entropy difference before and after merging two brackets and stopped the merging process at a large fluctuation. From the experimental results compared with the model solutions given by three human evaluators, we observed that divergence gave a better solution than Bayesian posterior probability. For divergence, we obtained 84 % recall and 67 % precision, and up to 90 % and 82 % when considering both positive and negative measures. We also investigated the fitness of using differential entropy for terminating the merging process by way of experiment and confirmed it.

In this paper, we focus on only rules with lexical categories as their right hand side. As a further work, we are on the way to introduce the techniques introduced here to acquire the other rules (rules with nonterminal categories as their right hand side). At that time, it is also necessary for us to develop some suitable evaluation techniques for assessing the obtained grammar.

## References

- [1] Eric Brill. Automatically acquiring phrase structure using distributional analysis. In *Proc. of Speech and Natural Language Workshop*, pp. 155-159, 1992.
- [2] Zellig Harris. *Structural Linguistics*. Chicago: University of Chicago Press, 1951.
- [3] M. Iwayama and T. Tokunaga. Hierarchical bayesian clustering for automatic text classification. In *IJCAI*, pp. 1322-1327, 1995.
- [4] Masaki Kiyono and Jun'ichi Tsujii. Combination of symbolic and statistical approaches for grammatical knowledge acquisition. In *Proc. of 4th Conference on Applied Natural Language Processing (ANLP'94)*, pp. 72-77, 1994.
- [5] K. Lari and S.J. Young. "the estimation of stochastic context-free grammars using the inside-outside algorithm". *Computer speech and languages*, Vol. 4, pp. 35-56, 1990.
- [6] Shinsuke Mori and Makoto Nagao. Parsing without grammar. In *Proc. of the 4th International Workshop on Parsing Technologies*, pp. 174-185, 1995.
- [7] K. Shirai, T. Tokunaga, and H. Tanaka. Automatic extraction of japanese grammar from a bracketed corpus. In *Natural Language Processing Pacific Rim Symposium (NLPRS'95)*, pp. 211-216, 1995.

## Appendix

Group	Members (Divergence)
1	(INDEF)(NOUN), (ART)(NOUN), (PRON)(NOUN), (DEMO)(NOUN), (NUM)(NOUN), (NUM)(UNIT), (NOUN)(NUM)
2	(ADJ)(NOUN), (NOUN)(NOUN), (NOUN)(CONJ)(NOUN)
3	(AUX)(VT)
4	(PREP)(NOUN), (PREP)(NUM), (PREP)(PRON), (ADV)(ADV), (PTCL)(VI)
5	(PTCL)(VT)
6	(VT)(NOUN), (VI)(ADV), (VT)(PRON), (AUX)(VI), (BE)(VI), (BE)(VT), (BE)(ADJ), (ADV)(VI), (VI)(PTCL)
7	(ADV)(ADJ)
8	(AUX)(ADV)
9	(ADV)(VT), (VT)(PTCL), (VI)(PREP)
10	(AUX)(BE)
11	(BE)(ADV)
12	(ADV)(BE)
13	(PRON)(VT)

Group	Members (BPP)
1	(INDEF)(NOUN), (ART)(NOUN), (PRON)(NOUN), (DEMO)(NOUN), (NOUN)(CONJ)(NOUN)
2	(ADJ)(NOUN), (NOUN)(NOUN)
3	(AUX)(VT), (AUX)(BE), (BE)(ADV), (PTCL)(VT), (AUX)(ADV)
4	(PREP)(NOUN), (ADV)(ADV), (PREP)(PRON), (PTCL)(VI), (PREP)(NUM)
5	(VT)(NOUN), (VI)(ADV), (VT)(PRON), (AUX)(VI), (BE)(VI), (BE)(ADJ), (BE)(VT), (ADV)(VI), (VI)(PTCL)
6	(ADV)(ADJ), (NUM)(NOUN), (NUM)(UNIT)
7	(ADV)(VT), (VT)(PTCL), (VI)(PREP)
8	(NOUN)(NUM), (ADV)(BE), (PRON)(VT)

labels	some instances
(ADJ)	'specific' 'commercial' 'adequate' 'structural' 'old'
(ADV)	'explicitly' 'enormously' 'quite' 'not'
(ART)	'the' 'a' 'an'
(AUX)	'may' 'should' 'did' 'could' 'will' 'have'
(BE)	'be' 'is' 'are'
(CONJ)	'and' 'when' 'or'
(DEMO)	'this' 'that' 'these' 'such'
(INDEF)	'few' 'one' 'any' 'some'
(NOUN)	'member' 'Japan' 'merchant' 'tour' 'area'
(NUM)	'2' '0.5' '60 billion'
(PREP)	'with' 'in' 'to' 'of'
(PRON)	'I' 'my' 'me' 'your' 'us'
(PTCL)	'up' 'to (to V)' 'down' 'out'
(UNIT)	'centimeter' 'percent' '%' 'mm' 'dollar'
(VI)	'grow' 'delay' 'feed' 'go' 'went' 'gone'
(VT)	'give' 'gave' 'given'