

Adaptive Networks: An Emerging Research Theme on State-Topology Coevolution in Complex Networks

Hiroki Sayama[†]

Adaptive networks are a particular class of dynamical networks whose topologies and states coevolve over similar time scales. Many real-world complex networks are adaptive networks, including social networks, transportation networks, neural networks and biological networks. This presentation provides a brief overview of the recent rise of research on mathematical/computational modeling and analysis of such networks and discusses current and future research directions.

The rapidly growing research on complex networks has presented a novel approach to complex systems modeling [1-3] that was not fully foreseen even in a decade ago. It addresses the self-organization of complex network structure and its implications for system behavior, which holds significant cross-disciplinary relevance to many fields of natural and social sciences, particularly in today's highly networked social/political/economical circumstances.

Interestingly, complex network research has so far addressed either “dynamics *on* networks” or “dynamics *of* networks” almost separately, without considering both at the same time. In the former, “dynamics *on* networks” approach, the focus is on the state transition of nodes on a network with a fixed topology and the trajectories of the system states in a phase space with time-invariant dimensions [4-9]. This is a natural extension of traditional dynamical systems research to a high-dimensional phase space with non-trivial interaction between state variables. On the other hand, in the latter, “dynamics *of* networks” approach, the focus is on the topological transformation of a network and their effects on statistical properties of the entire network [10-15], where a number of key concepts and techniques utilized are borrowed from statistical physics. While there are overlaps between these two areas of study, there are still unfilled gaps remaining between them, in both conceptual and technical aspects.

When looking into real-world complex biological and social networks, however, one can find many instances of networks whose states and topologies “coevolve”, i.e., they

[†] Binghamton University, State University of New York, USA (sayama@binghamton.edu)

interact with each other and keep changing over the same time scales due to the system's own dynamics (Table 1). In these “complex adaptive networks”, state transition of each component and topological transformation of networks are deeply coupled with each other, potentially producing emergent behavior that would not be seen in other forms of networks. Modeling and predicting state-topology coevolution is now becoming well recognized as one of the most significant challenges in complex network research [12,16,17].

Table 1: Real-world examples of complex adaptive networks whose states and topologies interact with each other and change over the same time scales

<i>Network</i>	<i>Nodes</i>	<i>Links</i>	<i>Examples of node states</i>	<i>Examples of node addition or removal</i>	<i>Examples of topological changes</i>
<i>Organism</i>	Cells	Cell adhesions, intercellular communications	Gene/protein activities	Cell division, cell death	Cell migration
<i>Ecological community</i>	Species	Ecological relationships (predation, symbiosis, etc.)	Population, intraspecific diversities	Speciation, invasion, extinction	Changes in ecological relationships via adaptation
<i>Epidemiological network</i>	Individuals	Physical contacts	Pathologic states	Death, quarantine	Reduction of physical contacts
<i>Social network</i>	Individuals	Social relationships, conversations, collaborations	Socio-cultural states, political opinions, wealth	Entry to or withdrawal from community	Establishment or renouncement of relationships

Over the last decade, several mathematical/computational models of state-topology coevolution have been developed and studied on various subjects, ranging from physical to social systems. One major research topic discussed there is the unique form of self-organization of adaptive networks. It has been demonstrated, using several different formalisms, that adaptive changes of network topology may give rise to self-organized criticality more easily than in other dynamical network models [18,19,20]. In these models,

connections are typically modified using local rules that are based on activities and/or similarities of node dynamics.

An illustrative class of adaptive network models is that of epidemiological models. Disease propagation on social networks has been extensively studied, yet when dynamic rewiring of social ties are allowed, the model behavior changes dramatically, causing substantial changes of phase diagrams and spontaneous formation of state-homogeneous subpopulations [21,22]. These results have significant implications for real epidemiology as people tend to alter social behaviors according to epidemiological states of their neighbors.

Social games have probably been the most extensively studied topic using adaptive network models [23-32]. A typical model setting is that the strategies and payoffs of agents, represented as node states, will evolve through iterative game play over social connections, and the connections themselves will also be modified locally based on the outcomes of those games. These models have demonstrated that the nature of the game becomes fundamentally different on adaptive networks, compared to that on networks of static topologies. Moreover, application of adaptive networks to social sciences does not stop at game theoretic models. Probably the newest application area is the modeling of organizational behavior, including the evolution of organizational networks inside a corporation and information/knowledge sharing and trust formation within it [33-35].

As shown above, the body of literature on adaptive networks is rapidly growing. A more comprehensive list of relevant literature can be found online [36]. However, those models were developed using different modeling frameworks chosen for specific phenomena, making it rather difficult to generalize them and apply them to real-world data analysis across different fields. Therefore, one of the important research challenges is to establish a generalized modeling framework that can effectively describe the state-topology coevolution of complex adaptive networks, which should be suitable for not only theoretical investigation but also for more practical data-driven modeling and analysis. Historically, cellular automata and other discrete dynamical networks have played the role of common modeling tools. To meet the need of similar tools for adaptive network modeling, a graph-writing-based computational modeling framework, called *generative network automata (GNA)*, is currently under development by the author. More details of this modeling framework can be found elsewhere [37-39].

Acknowledgment This material is based upon work supported by the US National Science Foundation under Grant No. 1027752.

References

- [1] Watts, D. J. & Strogatz, S. H. (1998) Collective dynamics of 'small-world' networks. *Nature* 393, 440-442.
- [2] Strogatz, S. H. (2001) Exploring complex networks. *Nature* 410, 268-276.
- [3] Newman, M., Barabási, A.-L. & Watts, D. J., eds. (2006) *The Structure and Dynamics of Networks*. Princeton University Press.
- [4] Bar-Yam, Y. & Epstein, I. R. (2004) Response of complex networks to stimuli. *PNAS* 101, 4341-4345.
- [5] Motter, A. E. (2004) Cascade control and defense in complex networks. *Phys. Rev. E* 93, 098701.
- [6] de Aguiar, M. A. M. & Bar-Yam, Y. (2005) Spectral analysis and the dynamic response of complex networks. *Phys. Rev. E* 71, 016106.
- [7] Zhou, H. & Lipowsky, R. (2005) Dynamic pattern evolution on scale-free networks. *PNAS* 102, 10052-10057.
- [8] Tomassini, M. (2006) Generalized automata networks. In Yacoubi, S. E., Chopard, B. & Bandini, S., eds., *Cellular Automata: Proceedings of the 7th International Conference on Cellular Automata for Research and Industry (ACRI 2006)*, pp.14-28. Springer-Verlag.
- [9] Motter, A. E., Matías, M. A., Kurths, J. & Ott, E., eds. (2006) *Special Issue: Dynamics on Complex Networks and Applications*, *Physica D* 224.
- [10] Barabási, A.-L. & Albert, R. (1999) Emergence of scaling in random networks. *Science* 286, 509-512.
- [11] Albert, R., Jeong, H. & Barabási, A.-L. (2000) Error and attack tolerance of complex networks. *Nature* 406, 378-382.
- [12] Albert, R. & Barabási, A.-L. (2002) Statistical mechanics of complex networks. *Rev. Mod. Phys.* 74, 47-97.
- [13] Shargel, B., Sayama, H., Epstein, I. R. & Bar-Yam, Y. (2003) Optimization of robustness and connectivity in complex networks. *Phys. Rev. Lett.* 90, 068701.
- [14] da Fontoura Costa, L. (2004) Reinforcing the resilience of complex networks. *Phys. Rev. E* 69, 066127.
- [15] Beygelzimer, A., Grinstein, G. M., Linsker, R. & Rish, I. (2005) Improving network robustness by edge modification. *Physica A* 357, 593-612.
- [16] Gross, T. & Blasius, B. (2008) Adaptive coevolutionary networks: a review. *J. R. Soc. Interface* 5, 259-271.
- [17] Gross, T. & Sayama, H., eds. (2009) *Adaptive Networks: Theory, Models and Applications*. Springer.
- [18] Bornholdt, T. & Rohlf, T. (2000) Topological evolution of dynamical networks: Global criticality from local dynamics. *Phys. Rev. Lett.* 84, 6114-6117.
- [19] Ito, J. & Kaneko, K. (2002) Spontaneous structure formation in a network of chaotic units with

- variable connection strengths. *Phys. Rev. Lett.* 88, 028701.
- [20] Garlaschelli, D., Capocci, A. & Caldarelli, G. (2007) Self-organized network evolution coupled to extremal dynamics. *Nature Physics* 3, 813-817.
- [21] Gross, T., Dommar D’Lima, C. & Blasius, B. (2006) Epidemic dynamics on an adaptive network. *Phys. Rev. Lett.* 96, 208701.
- [22] Shaw, L. B. & Schwartz, I. B. (2008) Fluctuating epidemics on adaptive networks. *Phys. Rev. E* 77, 0661011.
- [23] Holme, P. & Ghoshal, G. (2006) Dynamics of networking agents competing for high centrality and low degree. *Phys. Rev. Lett.* 96, 098701.
- [24] Holme, P. & Newman, M. E. J. (2006) Nonequilibrium phase transition in the coevolution of networks and opinions. *Phys. Rev. E* 74, 056108.
- [25] Gross, T., D’Lima, C. J. D. & Blasius, B. (2006) Epidemic dynamics on an adaptive network. *Phys. Rev. Lett.* 96, 208701.
- [26] Pacheco, J. M., Traulsen, A. & Nowak, M. A. (2006) Coevolution of strategy and structure in complex networks with dynamical linking. *Phys. Rev. Lett.* 97, 258103.
- [27] Palla, G., Barabási, A.-L. & Vicsek, T. (2007) Quantifying social group evolution. *Nature* 446, 664-667.
- [28] Biely, C., Dragosits, K. & Thurner, S. (2007) The prisoner’s dilemma on co-evolving networks under perfect rationality. *Physica D* 228, 40-48.
- [29] Kozma, B. & Barrat, A. (2008) Consensus formation on adaptive networks. *Phys. Rev. E* 77, 016102.
- [30] Suzuki, R., Kato, M. & Arita, T. (2008) Cyclic coevolution of cooperative behaviors and network structures. *Phys. Rev. E* 77, 021911.
- [31] Iñiguez, G., Kertész, J., Kaski, K. K. & Barrio, R. A. (2009) Opinion and community formation in coevolving networks. *Phys. Rev. E* 80, 066119-9.
- [32] Qin, S.-M., Zhang, G.-Y. & Chen, Y. (2009) Coevolution of game and network structure with adjustable linking. *Physica A* 388, 4893-4900.
- [33] Dionne, S. D., Sayama, H., Hao, C. & Bush, B. J. (2010) The role of leadership in shared mental model convergence and team performance improvement: An agent-based computational model. *Leadership Quarterly*, in press.
- [34] Mischen, P. (2010) Information sharing and knowledge creation in interorganizational networks. *CSSS 2010: Computational Social Science Society Conference*.
- [35] Lin, Y. & Desouza, K. C. (2010) Co-evolution of organizational network and individual behavior: An agent-based model of interpersonal knowledge transfer. *Proc. 31st International Conference on Information Systems*, in press.
- [36] Gross, T. Adaptive networks website. <http://adaptive-networks.wikidot.com/>.
- [37] Sayama, H. (2007) Generative network automata: A generalized framework for modeling complex dynamical systems with autonomously varying topologies. *Proc. First IEEE Symposium on Artificial Life*, IEEE, pp.214-221.
- [38] Sayama, H. & Laramée, C. (2009) Generative network automata: A generalized framework for modeling adaptive network dynamics using graph rewritings. In T. Gross and H. Sayama, eds., *Adaptive Networks: Theory, Models and Applications*, Springer, pp.311-332.
- [39] Sayama, H. (2010) An algorithm for automatically discovering dynamical rules of adaptive network evolution from empirical data. *Proc. 5th International ICST Conference on Bio-Inspired Models of Network, Information, and Computing Systems (BIONETICS 2010)*, Springer, in press.