

# A Compact Code for Rectangular Drawings with Degree Four Vertices

Toshihiko Takahashi<sup>†</sup>

## Abstract

A subdivision of a rectangle into rectangular faces with horizontal and vertical line segments is called a rectangular drawing or floorplan. Several encodings of rectangular drawings have been published; however, most of them deal with rectangular drawings without vertices of degree four. Recently, Saito and Nakano developed two compact encoding for general rectangular drawings, that is, which allows vertices of degree four. The two encodings respectively need  $6f - 2n_4 + 6$  bits and  $5f - 5$  bits for rectangular drawings with  $f$  inner faces and  $n_4$  degree four vertices. The best encoding of the two depends on the number of vertices of degree four, that is, the former is the better if  $2n_4 > f + 11$ ; otherwise the latter is the better.

In this paper, we propose a new encoding of general rectangular drawings with  $5f - n_4 - 6$  bits for  $f \geq 2$ , which is the most compact regardless of  $n_4$ .

## 1 Introduction

A *rectangular drawing* or *floorplan* is a subdivision of a rectangle with horizontal and vertical line segments. Usually no two line segments are allowed to decussate, that is, an ordinary rectangular drawing has no crisscross intersections of line segments (Figure 1 (a)–(c)). Two rectangular drawings are equivalent if (i) they have the same adjacent relations between the subdividing line segments and the rectangles and (ii) they have the same adjacent relations between the rectangles. We consider the direction of rectangular drawing. Thus, the three rectangular drawings in Figure 1 are all different.

For application in VLSI physical design, several encodings of rectangular drawings have been published: For example, H-Sequence [1], EQ-Sequence [2], FT-Squeeze [4], and so on.




Figure 1: Three different ordinary rectangular drawings.

<sup>†</sup>Institute of Natural Science and Technology, Academic Assembly, Niigata University




Figure 2: Rectangular drawings as graphs: (a) without vertices of degree four; (b) with a vertex of degree four.

The bit length of codes is a measure of encoding schemes [3]. Takahashi, Fujimaki, and Inoue have given a  $(4f - 4)$ -bit encoding of an ordinary rectangular drawing, where  $f$  is the number of rectangles (inner faces) of a rectangular drawing [6].

Rectangular drawings can be seen as special planar drawings of graphs: The vertices are the intersections of line segments and the edges are line segments between the vertices (Figure 2(a)). From the viewpoint of graph drawing, encodings of rectangular drawings with vertices of degree four are strongly desired (Figure 2(b)). In the following, we will consider a rectangular drawing which might have vertices of degree four and call them *general rectangular drawings* (Figure 3). Saito and Nakano developed two compact encodings of general rectangular drawings [7]. The first encoding in [7] is called Code I, which is based on depth-first search of an ordered tree. The bit length of the code I is  $6f - 2n_4 + 6$ , where  $n_4$  is the number of vertices of degree four. The second one is called code II, which is a pair of the  $(4f - 4)$ -bit code of ordinary rectangular drawings [6] and information of vertices of degree four. The bit length of the code II is  $5f - 5$ .

If  $2n_4 > f + 11$ , code I is the better since  $6f - 2n_4 + 6 < 5f - 5$ ; otherwise code II is. That is, the best encoding of the two depends on the number of vertices of degree four.

In this paper, we propose a new encoding of general rectangular drawings with  $5f - n_4 - 6$  bits for  $f \geq 2$ , which is the most compact regardless of  $n_4$ .

This paper is organized as follows: Section 2 introduces staircase and deletable rectangle, which are variants those in [6]. Section 3 gives the encoding and an upper bound of the bit lengths.

## 2 General Staircase and Deletable Rectangle

Staircase appeared in [5] for computing the number of rectangular drawings. In this section, a variant is introduced.

### 2.1 Staircase

Consider a rectangular drawing  $R$  placed in  $xy$ -plane so that the bottom-left corner is located at the origin. A *general staircase* for  $R$  is a configuration obtained from  $R$  by deleting rectangles such that

- the border consists of two line segments on  $x$ -axis and  $y$ -axis and a monotonic decreasing rectilinear path i.e., polygonal line of horizontal and vertical line segments, and




Figure 3: A general rectangular drawing.

- the interior is subdivided into rectangles with horizontal and vertical line segments (Figure 4).

In the following, ‘general’ is omitted for simplicity.

Horizontal line segments of the monotonic decreasing rectilinear path are called *steps*. A rectangle is called a *step rectangle* if its top-right corner is at the right end of a step. For example, the staircase in Figure 4 has three steps and rectangles 9, 10, and 11 are step rectangles.

The number of inner rectangles of a staircase is also denoted  $f$  as in the case of a rectangular drawing. Note that a rectangular drawing is also a staircase with one step.

## 2.2 Deletable Rectangles

The *deletable rectangle*  $r$  of a staircase is the uppermost rectangle among the rectangles satisfying the following four conditions:

1. The top side of  $r$  is wholly contained in the border of the staircase.
2. The right side of  $r$  is wholly contained in the border of the staircase.
3. The rightward ray from the bottom-right corner of  $r$  does not meet a top-left corner of another rectangle.
4. The upward ray from the top-left corner of  $r$  does not meet a bottom right corner of another rectangle except for at the initial point of the ray.

Note that the condition 4 has an exception. It is easy to see that the deletable rectangle is uniquely defined for every staircase: Let the step rectangles be  $sr_1, sr_2, \dots, sr_m$  from the top. The topmost step rectangle  $sr_1$  satisfies the conditions 1 and 4. If  $sr_1$  violates the conditions 2 or 3,  $sr_2$  satisfies the conditions 1 and 4. Similarly, if  $sr_2$  again violates the conditions 2 or 3,  $sr_3$  satisfies the conditions 1 and 4, and so on. On the other hand the bottommost step rectangle  $sr_m$  satisfies the conditions 2 or 3.

See the staircase in Figure 4. Only rectangle 11 satisfies the above four conditions. Rectangle 9 violates condition 3 since the rightward ray from its bottom-right corner meet




Figure 4: A general staircase.

the top-left corner of rectangle 10. Rectangle 10 also violates condition 3 since the rightward ray from its bottom-right corner meets the top-left corner of rectangle 11. However, rectangle 10 does not violate condition 4: The upward ray from its top-left corner meet the bottom right corner of rectangle 9 at the initial point of the ray, which is a vertex of degree four. Therefore, rectangle 11 is the deletable rectangle in the staircase.

Deletable rectangles are classified into the following six types as shown in Figure 5. Let  $r$  be a deletable rectangle of a staircase.

- Group A: the bottom-right corner of  $r$  is located at the right end of a step in the resultant staircase, that is, the staircase obtained by deleting  $r$ .
  - Type  $a$ : The top side of  $r$  is strictly included in a step. The deletion of  $r$  increases the number of the steps of the staircase by one.
  - Type  $b$ : The top side of  $r$  coincides with a step and the degree of the top-left corner of  $r$  is three. The deletion of  $r$  does not change the number of the steps of the staircase.
  - Type  $c$ : The top side of  $r$  coincides with a step and the degree of the top-left corner of  $r$  is four. The deletion of  $r$  does not change the number of the steps of the staircase.
- Group B: the bottom-right corner is *not* located at the right end of a step in the resultant staircase.
  - Type  $d$ : The top side of  $r$  is strictly included in a step. The deletion of  $r$  does not change the number of the steps of the staircase.
  - Type  $e$ : The top side of  $r$  coincides with a step and the degree of the top-left corner of  $r$  is three. The deletion of  $r$  decreases the number of the steps of the staircase by one.




Figure 5: The six types of deletable rectangles.

- Type  $f$  : The top side of  $r$  coincides with a step and the degree of the top-left corner of  $r$  is four. The deletion of  $r$  decreases the number of the steps of the staircase by one.

### 3 A $(5f - n_4 - 6)$ -bit Representation of a General Rectangular Drawing

In this section, we give a variant of the encoding for ordinary rectangular drawing in [6].

#### 3.1 A String Representation and Encoding

First we give a representation of a rectangular drawing on alphabet  $\{0, A, B\}$  as in [6]. Let  $S_f$  and  $r_f$  be a rectangular drawing with  $f$  rectangles and its deletable rectangle, respectively. The staircase obtained by deleting  $r_f$  from  $S_f$  has  $f - 1$  rectangles. Denote the staircase and its deletable rectangle by  $S_{f-1}$  and  $r_{f-1}$ , respectively. Again deleting  $r_{f-1}$  from  $S_{f-1}$ , we obtain staircase  $S_{f-2}$  with deletable rectangle  $r_{f-2}$ . In this way, we obtain a sequence of staircases  $S_f, S_{f-1}, \dots, S_1$ , where  $S_1$  is the staircase with  $f = 1$ , that is, a single rectangle. Note that the sequence is uniquely determined since all the deletable rectangle  $r_i$  is unique for  $S_i$  ( $i = f, \dots, 2$ ).

For the representation, we define the *candidate positions* of staircase  $S_i$  ( $i = 1, \dots, f - 1$ ). Consider adding rectangle  $r_{i+1}$  to staircase  $S_i$  and obtaining  $S_{i+1}$ . According to the six types of deletable rectangles, the position of the top-left corner of  $r_{i+1}$  must be one of the followings:

1. A point on  $y$ -axis above the top step of staircase  $S_i$ : In Figure 6, the position indicated by arrow 0.




Figure 6: Candidate positions of a staircase.

2. The right end point of a step of  $S_i$ : In Figure 6, the positions indicated by arrows 1 and 4.
3. A point on both the right side of a step rectangle and the border of  $S_i$ : In Figure 6, the positions indicated by arrows 2 and 5.
4. The bottom-right corner of a step rectangle on the border except on the  $x$ -axis: In Figure 6, the positions indicated by arrows 3 and 6.

The above positions whose  $y$ -coordinate is equal to or more than that of  $r_i$  are called *candidate positions*. Candidate positions are numbered  $0, 1, \dots$  beginning at the top (Figure 6). Rectangle  $r_{i+1}$  must be added one of the candidate positions of  $S_i$ . (In Figure 6, bold arrows 0, 1, 2, and 3 indicate the candidate positions. The deletable rectangle is shaded. Thus, for example, position 4 cannot be a candidate: If  $r_{i+1}$  were added to position 4, it would not be the deletable rectangle in the resultant staircase  $S_{i+1}$ .)

Now we are ready to describe how to reconstruct the sequence of staircases  $S_1, S_2, \dots, S_f$  by consecutively adding rectangles  $r_2, r_3, \dots, r_f$ .

First compute the following parameters by consecutively deleting rectangles  $r_f, \dots, r_2$ .

- $c_i$ : the candidate position in  $S_{i-1}$  at which  $r_i$  is added to;
- $d_i$ : the lowest candidate position of  $S_i$ .
- $T_i$ : the type of  $r_i$ ;
- $\delta_i = d_{i-1} - c_i$ .

For the example in Figure 3, the result is as follow.

$i$	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
$c_i$	1	1	1	4	5	3	0	1	5	7	4	3	0	0	—
$d_i$	3	3	3	7	6	5	3	3	7	8	7	5	3	3	2
$\delta_i$	2	2	6	2	0	0	3	6	3	0	1	0	3	2	—
$T_i$	A	A	A	B	B	B	A	A	A	B	A	B	A	B	—

The location and the type of rectangle  $r_i$  are determined by  $S_{i-1}$ ,  $c_i$ , and  $T_i$ . Since  $d_{i-1}$  is an invariant of  $S_{i-1}$ , the location and the type are also determined by  $S_{i-1}$ ,  $\delta_i$ , and  $T_i$ .

Let string  $s_i$  ( $i = 2, \dots, f$ ) be the unary representation of  $\delta_i$  followed by  $T_i$ . For the example,  $s_2 = 00B$ ,  $s_3 = 000A$ ,  $s_4 = B \dots$ ,  $s_{15} = 00A$ . The string representation of  $S_f$  on alphabet  $\{0, A, B\}$  is the concatenation  $s_2 s_3 \dots s_f$ . Finally replace  $A$  and  $B$  in the representation by 10 and 11 to obtain the code, i.e., bit representation of  $S_f$ . The code for our example is the following 58-bit code:

0011000101101011000100000001000010111100110000001000100010.

It is easy to construct linear time encoding and decoding algorithms, however we do not show due to space limitation. (See [6] for linear time algorithms for ordinary rectangular drawings. They can easily be modified for general rectangular drawings.)

**Note:** In fact, that symbol 0 arise most frequently in a representation on alphabet  $\{0, A, B\}$ . This means that the code can be more compact by using standard data compression techniques rather than simply replacing  $A$  and  $B$  by 10 and 11, respectively. (See [6] for a similar argument.)

### 3.2 The upper bound ( $5f - n_4 - 6$ ) of the bit length

In this subsection, we give a proof of the upper bound  $5f - n_4 - 6$  of the bit length for  $f \geq 2$ . Consider a string representation  $w = \{0, A, B\}^*$  of a rectangular drawing  $S_f$ .

Symbols  $A$  and  $B$  collectively appear exactly  $f - 1$  times in  $w$  corresponding to  $f - 1$  rectangles  $r_2, \dots, r_n$ . They contribute exactly  $2(f - 1)$  to the bit length of the corresponding code.

The number of 0's in  $w$  is equal to the sum  $\sum_{i=2}^f \delta_i$ . Now consider adding rectangular  $r_i$  to  $S_{i-1}$  at the candidate position  $c_i$ . The lowest candidate  $d_i$  of the resultant staircase  $S_i$  is at most  $c_i + 3$ . Precisely, it depends on the type of  $r_i$  as follows:

Type of rectangle $r_i$	$d_i$
Type $a$	$c_i + 2$
Type $b$	$c_i + 3$
Type $c$	$c_i + 2$
Type $d$	$c_i + 1$ if $r_i$ lies on the $x$ -axis; otherwise $c_i + 2$
Type $e$	$c_i + 2$ if $r_i$ lies on the $x$ -axis; otherwise $c_i + 3$
Type $f$	$c_i + 1$ if $r_i$ lies on the $x$ -axis; otherwise $c_i + 2$

Note that  $d_i = c_i + 2$  if the top-left corner of  $r_i$  is a vertex of degree four since the type of  $r_i$  is  $c$  or  $f$ . Then,

$$\sum_{i=2}^f \delta_i = \sum_{i=2}^f (d_{i-1} - c_i)$$

$$\begin{aligned}
&= d_1 - c_f + \sum_{i=2}^{f-1} (d_i - c_i) \\
&\leq 2 + \sum_{i=2}^{f-1} (d_i - c_i) && (d_1 = 2; c_f = 0 \text{ or } 1) \\
&\leq 2 + 3(f-2) - n_4 = 3f - n_4 - 4
\end{aligned}$$

Therefore, the total bit length of  $w$  is at most  $2(f-1) + (3f - n_4 - 4) = 5f - n_4 - 6$ .  
Now we summarize the above argument as follows.

**Theorem 1** *There exists an encoding of general rectangular drawings with  $f(\geq 2)$  rectangles and  $n_4$  vertices of degree four in at most  $5f - n_4 - 6$  bits.*

## 4 Concluding Remarks

In this paper, a  $(5f - n_4 - 6)$ -bit representation of a general rectangular drawing with  $f \geq 2$  is introduced. The length of a code is at most  $5f - n_4 - 6$ , which is the most compact encoding ever known.

## References

- [1] C. Zhuang, K. Sakanushi, L. Jin, and Y. Kajitani: An Extended Representation of Q-sequence for Optimizing Channel-Adjacency and Routing-Cost, Proc. the 2003 Conference on Asia South Pacific Design Automation, pp. 21–24, 2003.
- [2] H. A. Zhao, C. Liu, Y. Kajitani, and K. Sakanushi: EQ-Sequences for Coding Floorplans, IEICE Trans. on Fundamentals of Electronics, Communications and Computer Sciences, Vol. E87-A, No. 12, pp. 3244 – 3250, 2004.
- [3] K. Yamanaka and S. Nakano: Coding Floorplans with Fewer Bits, IEICE Trans. Fundamentals, Vol. E89-A, No. 5, pp. 1181–1185, 2006.
- [4] R. Fujimaki and T. Takahashi: A Surjective Mapping from Permutations to Room-to-Room Floorplans, IEICE Trans. on Fundamentals of Electronics, Communications and Computer Sciences, Vol.E90-A, No. 4, pp.823-828, 2007.
- [5] Y. Inoue, R. Fujimaki, and T. Takahashi: Counting Rectangular Drawings or Floorplans in Polynomial Time, IEICE Trans. on Fundamentals of Electronics, Communications and Computer Sciences, Vol. E92-A, No. 4, pp. 1115–1120, 2009.
- [6] T.Takahashi, R. Fujimaki, and Y. Inoue: A  $(4n - 4)$ -Bit Representation of a Rectangular Drawing or Floorplan, Lecture Notes in Computer Science, H.Q. Ngo (Ed.): COCOON 2009, LNCS 5609, pp.47–55, 2009.
- [7] M. Saito and S Nakano S: Two Compact Codes for Rectangular Drawings with Degree Four Vertices, Proc. the 11th Forum on Information Technology 2012 (FIT 2012), Vol. 1, pp.1–8, 2012.